

**ENDURES HARD WATER.
DELIVERS LONG-LASTING HEAT.**





Choose Crompton. Choose Reliability.



Over the years, Crompton has spread its wings across markets and consumer products like fans, light sources, luminaries, and pumps, and household appliances such as geysers, mixer grinders, toasters, irons, etc.

Its state-of-the-art manufacturing units are located in Goa, Vadodara, Ahmednagar, and Baddi. With 1.5 Lac retail points, Crompton aims to establish a positive connect across India through its superior product range.

Experts at its R&D center innovate continuously to enhance convenience by delivering a functional product range with stringent quality processes and certifications from BEE and ISI.

We have a service network of 365+ touchpoints to provide seamless service throughout the country.



WHY CROMPTON WATER HEATERS?

ANTI-SCALE HEATING ELEMENT


Designed to endure in hard water areas up to 2000 ppm*

SMART SHIELD CORROSION PROTECTION

Specially designed sacrificial magnesium anode rod prevents corrosion, thus enhancing life of the product

ROBUST GLASSLINE COATED TANK

Corrosion resistant with glassline coated tank; ensures durability and longevity of the tank



SUITABLE FOR HIGH RISE BUILDINGS

Multi-function safety valve ensures that Crompton water heaters withstand pressure up to 8 Bar



ENERGY EFFICIENT WITH BEE 5 STAR RATING

Reduces your electricity bill substantially



3-LEVEL SAFETY

Thermostat, Thermal Cut-Out, Multi-function Safety Valve ensure protection against electric shocks and malfunction

*Applicable in select models

ENDURES HARD WATER, DELIVERS LASTING HEAT.

WITH ANTI-SCALE TECHNOLOGY

As urbanization reshapes India's cities, reliance on borewell water has increased – introducing the challenge of hard water.

Hard water is high in dissolved minerals content like calcium and magnesium. It is known to cause scale buildup on bathroom fixtures and within appliances – particularly on the heating elements of water heaters. This scale formation acts as an insulating layer, decreasing heat transfer efficiency and compromising overall performance.

THE CROMPTON SOLUTION: ANTI-SCALE TECHNOLOGY

We're proud to unveil our latest in-house innovation – Anti-Scale Technology – patent applied and designed to deliver unmatched protection to the heating element.

This advanced technology keeps the heating element free from scaling, ensuring faster heating, better efficiency, and a longer life.

ANTI-SCALE TECHNOLOGY



**Designed for hard water areas
up to 2000 ppm***



Enhances performance efficiency



Elongates life of the heating element



Peace of mind with longer warranty



*Tested under standard lab conditions

**CROMPTON WATER HEATERS ARE NOT JUST BUILT TO PERFORM –
THEY'RE ENGINEERED TO LAST, EVEN IN THE TOUGHEST WATER CONDITIONS.**

NATIONAL ENERGY CONSERVATION AWARD



Crompton Received the National Energy Conservation Award 2023 from Hon'ble President Smt. Droupadi Murmu, underscoring our commitment to a greener and energy-efficient future.

Crompton was awarded the “National Energy Conservation Award” in 2023 from Bureau of Energy Efficiency (BEE) in category of “Most Energy efficient appliance of the year” for its energy efficient storage water heaters. This award recognizes their ongoing dedication to developing energy-saving products, building on their previous achievements in categories like fans and lights. The National Energy Conservation Awards, established in 1991, celebrate significant contributions to energy conservation.

Our commitment to innovation and sustainable energy solutions drives us forward and this recognition fuels our passion to further create a greener future.



**STORAGE
WATER HEATERS**

SOLARIUM QUBE IOT

AVAILABLE IN 15L, 25L

- | | |
|---|--|
|  Rust Proof Plastic Body |  Powerful Heating Element |
|  Remotely controlled by mobile app |  Nano Polybond Technology |
|  Digital Temperature Display |  Feather Touch Panel |
|  Advanced 3-Level Safety |  8 Bar Pressure |
|  Smart Shield Corrosion Protection |  Smart Energy Management |

WARRANTY



SMART HOME INTEGRATION



Scan the QR code to download MyCROMPTON app
Works on Android as well as IOS



KEY FEATURES



Customised Bath Modes



Pre-Set Timer



Smart Scheduler



SOLARIUM CARE

AVAILABLE IN 6L, 10L, 15L, 25L

- | | |
|---|--|
|  Designed for Hard Water upto 2000ppm* |  Rust Proof Plastic Body |
|  Color Changing LED Indicator |  8 Bar Pressure |
|  Advanced 3 Level Safety |  Smart Energy Management |
|  Smart Shield Corrosion Protection |  Temperature Control Knob |

WARRANTY

10 YEARS
TANK

6 YEARS
HEATING
ELEMENT

2 YEARS
PRODUCT

CUSTOMISED BATH MODES



BABY CARE

Unique setting that prevents hot water scalds or burns in babies



HAIR CARE

Unique setting that is best for scalp massage thus ensuring relaxing bath for your hair



HYGIENE CARE

Unique setting that kills bacteria and viruses and delivers germ free water

KEY FEATURES



Anti-Scale Technology



Customised Bath Modes



Robust Glassline Coating



recommended by
PANEL OF EXPERT DOCTORS



*Tested under standard lab conditions

SOLARIUM CLX

AVAILABLE IN 10L, 15L, 25L



KEY FEATURES



Anti-Scale Technology



Robust Glassline Coating



Smart Energy Management



WARRANTY



*Tested under standard lab conditions

RAPIDJET PLUS

AVAILABLE IN 6L, 10L, 15L

KEY FEATURES



Anti-Scale Technology



Nano Polybond Technology



Smart Energy Management



Designed for Hard Water upto 2000ppm*



Advanced 3 Level Safety



Smart Shield Corrosion Protection



Rust Proof Plastic Body



Temperature Control Knob



8 Bar Pressure



WARRANTY



*Tested under standard lab conditions

VERSA HZ

RHS & LHS

AVAILABLE IN 10L, 15L, 25L

	Powerful Heating Element		Rust Proof Plastic Body
	Advanced 3 Level Safety		Temperature Control Knob
	Smart Shield Corrosion Protection		8 Bar Pressure

WARRANTY

 8 YEARS TANK	 3 YEARS HEATING ELEMENT	 2 YEARS PRODUCT
--	--	---

KEY FEATURES



Fits in
False Ceilings



Robust Glassline
Coating



Smart Energy
Management



REGERA HZ

RHS & LHS

AVAILABLE IN 10L, 15L, 25L

KEY FEATURES



Fits in
False Ceilings



Robust Glassline
Coating



Smart Energy
Management



Powerful Heating
Element



Rust Proof
Metal Body



Advanced 3 Level
Safety



Temperature
Control Knob



Smart Shield
Corrosion Protection



8 Bar Pressure



WARRANTY



VERSA DLX

AVAILABLE IN 6L, 10L, 15L, 25L

	Designed for Hard Water upto 2000ppm*		Rust Proof Plastic Body
	Advanced 3 Level Safety		Temperature Control Knob
	Smart Shield Corrosion Protection		8 Bar Pressure

KEY FEATURES



Anti-Scale Technology



Robust Glassline Coating



Smart Energy Management



WARRANTY



*Tested under standard lab conditions

REGERA DLX

AVAILABLE IN 6L, 10L, 15L, 25L

KEY FEATURES



Anti-Scale Technology



Robust Glassline Coating



Smart Energy Management



Designed for Hard Water upto 2000ppm*



Advanced 3 Level Safety



Smart Shield Corrosion Protection



Rust Proof Metal Body



Temperature Control Knob



8 Bar Pressure



WARRANTY



*Tested under standard lab conditions

CLASSIC DLX

AVAILABLE IN 6L, 10L, 15L, 25L



Powerful Heating Element



Rust Proof Metal Body



Advanced 3 Level Safety



Temperature Control Knob



Smart Shield Corrosion Protection



8 Bar Pressure

KEY FEATURES



Robust Glassline Coating



Smart Energy Management



WARRANTY



CLASSIC NEO

AVAILABLE IN 6L, 10L, 15L, 25L

KEY FEATURES



Nano Polybond Technology



Smart Energy Management



Powerful Heating Element



Rust Proof Metal Body



Advanced 3 Level Safety



Temperature Control Knob



Smart Shield Corrosion Protection



8 Bar Pressure



WARRANTY



RADIANT DLX

AVAILABLE IN 35L, 50L, 70L, 100L



Powerful 3kW Heating Element*



Rust Proof Plastic Body



Advanced 3 Level Safety



Temperature Control Knob



Smart Shield Corrosion Protection



8 Bar Pressure

KEY FEATURES



Temperature Dial



Robust Glassline Coating



Smart Energy Management



WARRANTY



*Available in 50L/70L/100L capacity



(35/50L)



(70/100L)

CLASSIC NEO

AVAILABLE IN 35L, 50L

KEY FEATURES



Temperature Dial



Nano Polybond Technology



Smart Energy Management



Powerful Heating Element



Rust Proof Metal Body



Advanced 3 Level Safety



Temperature Control Knob



Smart Shield Corrosion Protection



8 Bar Pressure



WARRANTY





**INSTANT
WATER HEATERS**

SOLARIUM BLAZE

AVAILABLE IN 3L - 3kW



Designed for
Hard Water upto
2000ppm*



6 Bar
Pressure



Advanced 3 Level
Safety



Rust Proof
Plastic Body



Powerful 3kW
Heating Element



Food Grade
SS Tank



Multi-use:
Kitchen & Bathroom

KEY FEATURES



Anti-Scale
Technology



Ultra Modern
Color Changing LED



Pristine Finish
Outer Body



WARRANTY

5 YEARS
TANK

6 YEARS
HEATING
ELEMENT

2 YEARS
PRODUCT



*Tested under standard lab conditions



SOLARIUM PLS

AVAILABLE IN 3L - 3kW

White | Ivory



6 Bar
Pressure



Advanced 3 Level
Safety



Rust Proof
Plastic Body



LED Indicator



Food Grade
SS Tank



Multi-use:
Kitchen & Bathroom

WARRANTY



KEY FEATURES



Anti-Scale
Technology



Designed for
Hard Water upto
2000ppm*




Powerful 3kW
Heating Element





*Tested under standard lab conditions


RAPIDJET


AVAILABLE IN 5L - 3kW


- 

Food Grade
SS Tank
- 

Rust Proof
Plastic Body
- 

Advanced 3 Level
Safety
- 

LED Indicator
- 

6 Bar
Pressure
- 

Anti-Siphon
Protection

KEY FEATURES



Powerful 3kW
Heating Element



Multi-use:
Kitchen &
Bathrooms



WARRANTY



SOLARIUM NEO

AVAILABLE IN 3L, 5L - 3kW

KEY FEATURES



Powerful 3kW
Heating Element




Multi-use:
Kitchen &
Bathrooms



- Food Grade
SS Tank



- Rust Proof
Plastic Body


- Advanced 3 Level
Safety


- LED Indicator


- 6 Bar
Pressure


- Anti-Siphon
Protection



WARRANTY





**IMMERSION
ROD**

AIMR-SPAS1A

AVAILABLE IN 1000W



Designed for
Hard Water upto
2000ppm*



Shock Proof
Plastic Handle



LED Power
Indicator



Water Level
Indicator



ISI Safety
Certified

KEY FEATURES



Anti-Scale
Technology



Shock Proof
Handle with
IP68 Protection



PLASTIC HANDLE

WARRANTY



*Tested under standard lab conditions

AIMR-SPAS15A

AVAILABLE IN 1500W

KEY FEATURES



Anti-Scale
Technology



Shock Proof
Handle with
IP68 Protection



PLASTIC HANDLE

Designed for
Hard Water upto
2000ppm*



Shock Proof
Plastic Handle



LED Power
Indicator



Water Level
Indicator



ISI Safety
Certified



WARRANTY



*Tested under standard lab conditions

AIMR-SP1A

AVAILABLE IN 1000W



Powerful 1kW
Heating Element



Shock Proof
Plastic Handle



Water Level
Indicator



ISI Safety
Certified

WARRANTY



KEY FEATURES



Shock Proof
Handle with
IP68 Protection



Power On
Indicator



PLASTIC HANDLE

AIMR-SP15A

AVAILABLE IN 1500W

KEY FEATURES



Shock Proof
Handle with
IP68 Protection



Power On
Indicator



PLASTIC HANDLE

Powerful 1.5kW
Heating Element



Shock Proof
Plastic Handle



Water Level
Indicator



ISI Safety
Certified



WARRANTY



AIMR-1BA

AVAILABLE IN 1000W



Water Level Indicator



Heating Element with Longer Life



ISI Safety Certified

WARRANTY



KEY FEATURES



Power On Indicator



Powerful 1kW Heating Element



BAKELITE HANDLE

AIMR-15BA

AVAILABLE IN 1500W

KEY FEATURES



Power On Indicator



Powerful 1.5kW Heating Element



BAKELITE HANDLE

Water Level Indicator



Heating Element with Longer Life



ISI Safety Certified



WARRANTY



NOTES:

NOTES:

NOTES:

PRODUCT SPECIFICATION

Series Product Advance Features		Storage Water Heater							
		Solarium Qube IoT	Solarium Care	Solarium CLX	RapidJet Plus	Versa HZ	Regera HZ	Versa DLX	Regera DLX
Pressure Rating	Anti-Scale Technology	ASWH-33XX	ASWH-39XX	ASWH-49XX	(ASWH-XLDPDJT2KW)	(ASWH-41XX : RHS & LHS)	(ASWH-57XX : RHS & LHS)	(ASWH-67XX)	(ASWH-38XX)
		8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR	8 BAR
			✓	✓	✓			✓	✓
			✓	✓		✓	✓	✓	✓
		✓			✓				
Tank	MS_Glassline Coating MS_Polymer Coating SS Incoloy + GI Coating Copper + PTFE Coating Copper + Ni coating Advance_Microprocessor-Sensing High Precision Capillary Stem Mechanical Temp Adjustable Knob Touch Sensor								
Heating Element			✓	✓	✓			✓	✓
		✓				✓			
Thermostat (Auto)			✓	✓	✓			✓	✓
Temp Control Mode		✓							
		✓							
Thermal Cut Off									
Anode Rod Mounting		✓	✓	✓	✓	✓	✓	✓	✓
		Vertical	Vertical	Vertical	Vertical	Horizontal	Horizontal	Vertical	Vertical
		BEE 5 Star ISI	BEE 5 Star ISI	BEE 5 Star ISI	BEE 5 Star ISI (2kW)	BEE 3 Star ISI	BEE 3 Star ISI	BEE 5 Star ISI	BEE 5 Star ISI
SPECIFICATIONS									
Power (W)		2000W	2000W	2000W/3000W	2000W	2000W	2000W	2000W	2000W
Capacity (Litres)		15L, 25L	6L, 10L, 15L, 25L	10L, 15L, 25L	6L, 10L, 15L	10L, 15L, 25L	10L, 15L, 25L	6L, 10L, 15L, 25L	6L, 10L, 15L, 25L
Reheating Time (Max)		12 Min-6L, 18 Min-10L, 28 Min-15L, 45 Min-25L, 85 Min-35L, 105 Min-50L							
AESTHETICS									
Colour		White	White	White	White	White	White	White	White
Body		Plastic	Plastic	Plastic	Plastic	Plastic	Plastic-SheetMetal	Plastic	Plastic-SheetMetal
WARRANTY									
Tank		7	10	8	8 (2kW)	8	7	8	8
Heating Element		2	6	4	4 (2kW)	3	3	4	4
Product		2	2	2	2	2	2	2	2
Dimensions-LXWXH (in mm)		400x390x405-15L 465x390x495-25L	335x295x385-6L 390x345x450-10L 390x415x430-15L 475x435x520-25L	390x330x450-10L 390x390x450-15L 475x420x520-25L	330x350x365-10L 370x385x385-15L	490x320x325-10L 600x320x325-15L 880x320x325-25L	370x340x320-10L 470x340x320-15L 660x340x320-25L	280x300x355-6L 335x350x380-10L 335x360x495-15L 365x380x464-15L 365x380x600-25L	290x310x380-6L 320x335x445-10L 335x360x495-15L 365x380x464-15L 365x380x600-25L
Net weight (in kgs)		8 Kgs-15L 10 Kgs-25L	6.4 Kgs-6L 8.2 Kgs-10L 9.5 Kgs-15L 12.3 Kgs-25L	8.3 Kgs-10L 9.7 Kgs-15L 12.6 Kgs-25L	6.50 Kgs-10L 7.25 Kgs-15 L	8.4 Kgs-10L 10 Kgs-15L 13.8 Kgs-25L	6.7 Kgs-10L 8.9 Kgs-15L 11.9 Kgs-25L	5.5 Kgs-6L 6.65 Kgs-10L 8.25 Kgs-15L 10 Kgs-25L	6.4 Kgs-6L 7.77 Kgs-10L 9.3 Kgs-15L 12 Kgs-25L

PRODUCT SPECIFICATION

SERIES PRODUCT ADVANCE FEATURES		STORAGE WATER HEATER			INSTANT WATER HEATER					
		CLASSIC DLX	CLASSIC NEO	RADIANT DLX	CLASSIC NEO	SOLARIUM BLAZE	SOLARIUM PLS	RAPIDJET	SOLARIUM NEO	
Pressure Rating		(ASWH-53XX)	(ASWH-60XX)	ASWH-27XX	(ASWH-43XX)	(AIWH-3LSOLBLZ3KW5Y)	(AIWH-3LSOLPLSXXX5Y)	(AIWH-5LIRPIDJT3KW5Y)	(AIWH-5LSOLNEO3KW5Y)	
	Safety Valve	8 BAR	8 BAR	8 BAR	8 BAR	6 BAR	6 BAR	6 BAR	6 BAR	
	Anti-Scale Technology					✓	✓			
	Tank	✓		✓	✓					
		MS,Glassline Coating								
MS, Polymer Coating			✓							
Heating Element	SS					✓	✓	✓	✓	
	Incoloy + GI Coating									
	Copper + PTFE Coating					✓	✓			
	Copper + Ni coating	✓	✓	✓	✓			✓	✓	
	Advance Microprocessor Sensing									
Thermostat (Auto)	High Precision Capillary	✓	✓	✓	✓					
	Stem Mechanical						✓	✓	✓	
	Temp Adjustable Knob	✓	✓	✓	✓					
Temp Control Mode	Touch Sensor									
	High Precision Capillary	✓	✓	✓	✓			✓	✓	
Thermal Cut-Off	Stem Mechanical								✓	
	Mechanical-Disc									
	MgO	✓	✓	✓	✓		✓			
Anode Rod Mounting	Position on Wall	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	Vertical	
	BEE /ISI	BEE 5 Star ISI	BEE 5 Star ISI	BEE 5 Star (35L/50L), BEE 3 Star (70L/100L) ISI	BEE 3 Star ISI	ISI	ISI	ISI	ISI	
SPECIFICATIONS										
Power (W)		2000W	2000W	2000W-35L 3000W-50L-70L-100L	2000W	3000W	3000W	3000W	3000W	
Capacity (Litres)		6L, 10L, 15L, 25L	6L, 10L, 15L, 25L	35L, 50L, 70L, 100L	35L, 50L	3L	3L	5L	5L	
Reheating Time (Max)		12 Min-6L, 18 Min-10L, 28 Min-15L, 45 Min-25L, 85 Min-35L, 105 Min-50L								
AESTHETICS										
Colour		White	White	White	Grey	Champagne Gold	White/Ivory	White	Ivory	
Body		Plastic-SheetMetal	Plastic-SheetMetal	Plastic	Plastic-SheetMetal	ABS	Plastic	Plastic	Plastic	
WARRANTY										
Tank		7	7	8	7	5	5	5	5	
Heating Element		3	3	3	2	6	4	2	2	
Product		2	2	2	2	2	2	2	2	
Dimensions-LXWXH (in mm)		300x315x365-6L 340x365x390-10L 340x365x490-15L 360x375x545-25L	300x315x365-6L 340x365x390-10L 340x365x490-15L 360x375x545-25L	460 x 470 x 600-35L 460 x 470 x 760-50L 460 x 480 x 900-70L 460 x 480 x 1180-100L	400x418x395-35L 400x418x792-50L	197x225x375-3L	190x190x385-3L	205x212x405-5L	210x210x430-5L	
Net weight (in kgs)		6.7 Kgs-6L 76 Kgs-10L 9.5 Kgs-15L 11.77 Kgs-25L	6.7 Kgs-6L 8.11 Kgs-10L 9.73 Kgs-15L 11.88 Kgs-25L	14.4 Kgs-35L 16.8 Kgs-50L 20.85 Kgs-70L 27.5 Kgs-100L	11.6 Kgs-35L 14.3 Kgs-50L	2.8 Kgs-3L	2.7 Kgs-3L	3.0 Kgs-5L	2.8 Kgs-5L	

Crompton⁺
assist



Scan QR for registration of warranty,
installation, and services
on our website.
www.crompton.co.in

CROMPTON GREAVES CONSUMER ELECTRICALS LIMITED

Registered Office:

O5GBD, Godrej Business District, Pirojshanagar,
Vikhroli (West), Mumbai - 400079, Maharashtra, India

Customer Service:

Toll free number: +91 92288 80505
(Mon to Sat: 9am - 6pm)
Website: www.crompton.co.in

Disclaimer - While every effort has been taken to ensure that all specifications and descriptions are correct, this brochure should not be regarded as infallible guide nor as an offer of sales for a particular product. Due to variables in production process, colours of actual products may vary slightly from those depicted. Model numbers and specifications are for reference only, may subject to change without prior notice. Free installation on select models of water heater and select locations only.